

CLOVER COMPOUND

RECOGNIZED STANDARD
FOR GRINDING AND LAPPING



4-ounce Duplex can contains two grades: D (coarse) for roughing and A (fine) for finishing. This can is fitted with Clover quick-grip covers and is intended to be carried in the kit. These two grades are suitable for grinding valves, lapping cylinders, fitting piston rings, etc.

Price \$.50

2-ounce Duplex can, similar to 4-ounce, only smaller.

Price \$.30

GRAIN PUMP & LUMBER CO.

623 Arch St., Phila.

TOOLS & MILL SUPPLIES

FOR SHOP, GARAGE AND TOOL ROOM

Single Grade Cans

8 Grades



Clover Compound is put up one grade to the can, in $\frac{1}{4}$ -lb., $\frac{1}{2}$ -lb., 1-lb. and 5-lb. sizes, in 8 grades as below.

2-A (microscopic fine) For fine lapping, polishing and fitting of parts.

1-A (very fine) For fine lapping, surfacing, fitting of parts, lapping dies, gauges, fine polishing, etc.

A (fine) For finishing valve grinding, lapping cylinders, lapping rings into cylinders, grinding crank shafts into bearings, running together gearing, etc.

B (medium fine) A finishing grade, or on fine work used for roughing.

C (medium coarse) For cylinder lapping, light power grinding, etc.

D (coarse) For roughing valves, medium heavy roughing and grinding.

E (very coarse) For use on large surfaces, and for quick work.

50 (special) An exceedingly coarse compound for extra heavy work.

$\frac{1}{4}$ -pound—any grade.....	\$.50
$\frac{1}{2}$ -pound—any grade.....	.85
1-pound—any grade.....	1.50
5-pound—any grade.....	6.00

The grade desired should always be specified when ordering single grade cans.

We'll send samples gladly

JUST-RITE

HI-SPEED WATER SOLUBLE VALVE GRINDING COMPOUND



For those who prefer a water compound
Just-Rite is the really high class, reliable article of its kind.

Just-Rite has qualities not found in any other water compound and by actual test it will cut faster and do a smoother and better job.

There is nothing in **Just-Rite** to freeze; nothing to spoil; nor will heat or cold cause any change in consistency.

**SPECIALLY DESIGNED FOR USE ON HARD
STEEL VALVES**

PUT UP IN TWO GRADES

(One grade to the can)

MEDIUM

COARSE


$\frac{1}{4}$ -pound	\$.50
1-pound	1.50

Ask for Clover instructional bulletins

No. 75 Valve Grinding

No. 80 Lapping Cylinders, Fitting Piston Rings, etc.

No. 90 "Shop Kinks"



CAPACITY, TEN MILLION CANS CLOVER AND JUST-RITE COMPOUND ANNUALLY

Clover Mfg. Co., Norwalk, Conn., U. S. A.